


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((resistance<in>metadata) <and> (factor<in>metadata))<and> (operating..."

[e-mail](#)

Your search matched 7 of 1253851 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[Modify Search](#)[New Search](#)

((resistance<in>metadata) <and> (factor<in>metadata))<and> (operating point<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Design-oriented analysis of DC operating-point instability**
Fox, R.M.;
Circuits and Systems, 1995. ISCAS '95., 1995 IEEE International Symposium on
Volume 1, 28 April-3 May 1995 Page(s):109 - 112 vol.1
Digital Object Identifier 10.1109/ISCAS.1995.521463
[AbstractPlus](#) | Full Text: [PDF](#)(336 KB) IEEE CNF
- ☐ 2. **Characteristic ranges for LSA oscillation**
Harrison, R.I.; Denker, S.P.; Hadley, M.L.;
Electron Devices, IEEE Transactions on
Volume 15, Issue 10, Oct 1968 Page(s):792 - 793
[AbstractPlus](#) | Full Text: [PDF](#)(328 KB) IEEE JNL
- ☐ 3. **Performance and optimization of Gunn self-oscillating mixer**
Krasavin, J.; Hinrikus, H.;
Microwave and Guided Wave Letters, IEEE [see also IEEE Microwave and Wireless Components Letters]
Volume 5, Issue 6, June 1995 Page(s):177 - 179
Digital Object Identifier 10.1109/75.386123
[AbstractPlus](#) | Full Text: [PDF](#)(180 KB) IEEE JNL
- ☐ 4. **Tunnel diodes for low noise amplification**
Armstrong, L.;
Electron Devices Meeting, 1961 International
Volume 7, 1961 Page(s):62 - 62
[AbstractPlus](#) | Full Text: [PDF](#)(58 KB) IEEE CNF
- ☐ 5. **Broadband, robust, low profile monopole incorporating top loading, dielectric and a distributed capacitive feed mechanism**
McLean, J.; Foltz, H.; Crook, G.;
Antennas and Propagation Society International Symposium, 1999. IEEE
Volume 3, 11-16 July 1999 Page(s):1562 - 1565 vol.3
Digital Object Identifier 10.1109/APS.1999.788242
[AbstractPlus](#) | Full Text: [PDF](#)(172 KB) IEEE CNF
- ☐ 6. **Fuzzy modeling of photovoltaic panel equivalent circuit**

Elhagry, M.T.; Elkousy, A.A.T.; Saleh, M.B.; Elshatter, T.F.; Abou-Elzahab, E.A.
Circuits and Systems, 1997. Proceedings of the 40th Midwest Symposium on
Volume 1, 3-6 Aug. 1997 Page(s):60 - 63 vol.1
Digital Object Identifier 10.1109/MWSCAS.1997.666033

[AbstractPlus](#) | Full Text: [PDF](#)(320 KB) IEEE CNF




7. Active plasma source formation in the MAP diode

Lamppa, K.P.; Stinnett, R.W.; Renk, T.J.; Crawford, M.T.; Greenly, J.B.;
Pulsed Power Conference, 1995. Digest of Technical Papers. Tenth IEEE Inter
Volume 1, 3-6 July 1995 Page(s):649 - 654 vol.1
Digital Object Identifier 10.1109/PPC.1995.596774

[AbstractPlus](#) | Full Text: [PDF](#)(392 KB) IEEE CNF



Indexed by



[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2005 IEEE --

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((first operating<in>metadata) <and> (factor<in>metadata) <and> (seco..."

e-mail

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)

Modify Search

[New Search](#) >>

» Key

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2005 IEEE --

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((modified resistance<in>metadata) <and> (factor<in>metadata))<and> (..."

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[Modify Search](#)[New Search](#) »

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2005 IEEE --

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	6	"716"/\$.ccls. and ((operating adj3 point) same resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:52
L3	4	"6813753".pn. "20040025136"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:25
L5	4	"20030204818" "6496962".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:36
L6	137	((operating adj3 point) same factor) and timing and resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:38
L7	20	"716"/\$.ccls. and (((derat\$3 or scal\$3) adj3 factor) same resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 11:56
L8	1	((((derat\$3 or scal\$3) adj3 factor) same (modified adj2 resistance)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 13:28
L9	25	(factor same (modified adj2 resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 12:53
L12	0	"716"/\$.ccls. and (interpolat\$3 same (modified adj3 resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 12:54
L13	1	"716"/\$.ccls. and (factor\$3 same (modif\$6 near3 resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 12:56

L14	5	((derat\$3 or scal\$3) adj3 factor) same (modif\$6 near3 resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 12:56
L15	58	("716"/\$.ccls. or "714"/\$.ccls. or "703"/\$.ccls.) and ((operating adj3 (point or condition)) same resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 13:24
L16	1	((modified adj3 resistance) same factor).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 13:25
L17	8	((first adj2 operating) and (second adj2 operating) and modified and analysis).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 13:27
L18	10	((performance with difference) and modified and analysis).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 13:28
L19	0	((derat\$3 or scal\$3) adj3 factor) and (modified adj2 resistance)). CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 13:29
S1	1	"716"/\$.ccls. and (derat\$3 with resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/30 07:50
S3	160	"716"/\$.ccls. and (factor with resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/30 09:22
S4	53	"716"/\$.ccls. and ((derat\$3 or scal\$3) with resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:41
S7	5	"716"/\$.ccls. and ((operating adj2 point) same resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:48

S8	22	"716"/\$.ccls. and ((operating adj2 (point or condition)) same resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/30 09:40
S9	53	("716"/\$.ccls. or "714"/\$.ccls. or "703"/\$.ccls.) and ((operating adj2 (point or condition)) same resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 12:57
S10	2	"6308309".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/30 10:06
S11	2	("716"/\$.ccls. or "714"/\$.ccls. or "703"/\$.ccls.) and (apply\$3 with factor with resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/30 10:09
S12	95	("716"/\$.ccls. or "714"/\$.ccls. or "703"/\$.ccls.) and ((derat\$3 or scal\$3) with resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/30 11:03
S16	6	("6412100" "6898769" "6526554").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 14:58
S18	1158	"716"/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:38
S19	1178	"716"/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:39
S22	13	"716"/\$.ccls. and (((derat\$3 or scal\$3) adj2 factor) with resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:42
S23	371	((((derat\$3 or scal\$3) adj2 factor) with resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:43

S24	13	wen-huajun.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 16:37
-----	----	----------------	---	----	----	------------------